



Glue Guns

Suzhou Baotailong Electronic Materials Co., Ltd.

Glue gun

Portable 50ML manual AB glue gun, flexible system operation, lightweight design, simple and easy to use, suitable for mixing ratio 1:1/2:1/4:1/10:1. With the use of two-component 50ML material storage rubber cylinder, the amount of glue can be controlled freely, which is beneficial to improve production efficiency and save production cost.



Item No.	Ratio	Color	Material	
			Body	Plungers
FT50-11	1:1	Offwhite	PP+PA	Metal
FT50-12	2:1	Offwhite	PP+PA	Metal
FT50-14	1:4	Offwhite	PP+PA	Metal
FT50-101	10:1	Offwhite	PP+PA	Metal
FT30	/	Offwhite	PP+PA	Metal
FT55	/	Offwhite	PP+PA	Metal

Manual Syringe Gun Dispensing

Manual dispensing gun can be directly and 10cc, 30cc and 55cc dispensing needle connected, light weight, easy to operate

Dispensing gun is equipped with hand push rod, which is more efficient and labor-saving than syringe and squeeze bottle.



Item No.	Volum	Color	Length	Height	Weight	Material
FL-SG10	10CC	Red /White Blue/White	210mm (including push rod)	135mm	110g	Nylon, Polypropylene
FL-SG30	30CC	Red /White	285mm (including push rod)	135mm	115g	Nylon, Polypropylene

Manual Glue Gun

Beautiful appearance, all positions are carefully polished, smooth without burrs. Ergonomic design, comfortable grip; Equipped with drive rod and auxiliary rod design, labor saving.



Item No.	Ratio	Color	Material	Driving force
NS200-11	1:1	Blue+ black	Nylon alloy	600Kgs
NS250-101	10:1	Blue+ black	Nylon alloy	600Kgs
NS375-41	4:1	Blue+ black	Nylon alloy	600Kgs
NS380-101	10:1	Blue+ black	Nylon alloy	600Kgs
NS385-31	3:1	Blue+ black	Nylon alloy	600Kgs
NS390-31	3:1	Blue+ black	Nylon alloy	600Kgs
NS400-11	1:1	Blue+ black	Nylon alloy	600Kgs
NS450-21	2:1	Blue+ black	Nylon alloy	600Kgs
NS490-101	10:1	Blue+ black	Nylon alloy	600Kgs
NS585-31	3:1	Blue+ black	Nylon alloy	600Kgs
NS600-11	10:1	Blue+ black	Nylon alloy	600Kgs

Pneumatic Glue Gun

Directly used for the bottom of the rubber cylinder pneumatic glue gun, no push rod, more space-saving.



Part No.	Lenth	Capacity	Working air pressure
PG300	24 mm	300ml	6 bar
PG400	32 mm	300、400ml	6 bar

Suzhou Baotailong Electronic Materials Co., Ltd.

Room 1206, Jinhe International Building, No. 35 Shishan Road,

Huqiu District, Suzhou, Jiangsu, China

<https://www.btektech.com/>



Tel: (+86) 18706202541

Email: rita@btektech.com